

Products Description



Grade6A extensión del pelo cinta lisa venta caliente en el mercado del cabello adhesiva de doble cara pelo de la cinta

Nombre	De China de fábrica distribuidor clases baratas 100% naturales de la extensión del pelo peruano remy
Material	100% pelo huamn
Textura	Recto sedoso (u otro como su petición)
Longitud	10 "-30"
Color	Como su petición
Pago	T / T, unión de Westen, gramo del dinero
Envío	DHL, Fedex, UPS, TNT



Trade Assurance



Juancheng Xinda Hair Products co.,ltd



Trade Assurance



Juancheng Xinda Hair Products co.,ltd

Tangle Test



Restle Test



Shedding Test



Washing Test & Hair Care



1. Wash the hair in one week, use mild shampoo, rinse and leave to dry.
2. Come with a wire brush after dry, the round with wide-toothed comb.
3. Don't make sure hair under the blazing sun for quite a long time.
4. Don't blows the root of hair too near with hair drier.
5. To daily hair caring, please spray the hydrating drops regularly, otherwise the hair will become dry, tangle and shedding

Dyeing Test



Burn Test



Human hair

VS



Chemical fiber hair

Burnig smells like a burnt fragrance, Human hair burns out very quickly, is also easily becomes ash.





AUTHORIZED CERTIFICATION



国家发制品及护发用品质量监督检验中心 National Hair Products And Hair Care Products Quality Supervision And Inspection Center 检验报告 Inspection Report

№ 20110206

第 2 页 共 4 页
Page 2 of 4

产品名称(Sample): 人发发套 (Human Hair Weaving)		规格型号(Model): 14"(14 inch)				
序号 Serial No.	检验项目 Items	计量单位 Unit	标准要求 Requirements	检测结果 Results	判定结论 Conclusions	备注 Remarks
1	人发含量 (Human Hair Content)	%	≥98	100	合格 (Qualified)	/
2	甲醛 (Formaldehyde)	mg/kg	≤15	5	合格 (Qualified)	/
3	异味 (Off-flavor)	/	无异味 (None)	符合 (conform)	合格 (Qualified)	/
4	pH值	/	4.0~9.0	8.0	合格	/




国家发制品及护发用品质量监督检验中心 检验报告 Inspection Report						№ 20110206
产品名称(Sample): 人发发套 (Human Hair Weaving)		规格型号(Model): 14"(14 inch)		生产厂名(Factory Name): 义乌市发制品有限公司		
序号 Serial No.	检验项目 Items	计量单位 Unit	标准要求 Requirements	检测结果 Results	判定结论 Conclusions	
1	人发含量 (Human Hair Content)	%	≥98	100	合格 (Qualified)	
2	甲醛 (Formaldehyde)	mg/kg	≤15	5	合格 (Qualified)	
3	异味 (Off-flavor)	/	无异味 (None)	符合 (conform)	合格 (Qualified)	
4	pH值	/	4.0~9.0	8.0	合格	
5	耐热性 (Heat Resistance)	h	48	符合 (conform)	合格 (Qualified)	
6	耐水性 (Water Resistance)	h	48	符合 (conform)	合格 (Qualified)	
7	耐汗液性 (Sweat Resistance)	h	48	符合 (conform)	合格 (Qualified)	
8	耐化妆品性 (Cosmetics Resistance)	h	48	符合 (conform)	合格 (Qualified)	
9	耐日光性 (Sunlight Resistance)	h	48	符合 (conform)	合格 (Qualified)	
10	耐摩擦性 (Abrasion Resistance)	h	48	符合 (conform)	合格 (Qualified)	
11	耐洗涤性 (Washing Resistance)	h	48	符合 (conform)	合格 (Qualified)	
12	耐干燥性 (Drying Resistance)	h	48	符合 (conform)	合格 (Qualified)	
13	耐盐碱性 (Salt and Alkali Resistance)	h	48	符合 (conform)	合格 (Qualified)	
14	耐酸性 (Acid Resistance)	h	48	符合 (conform)	合格 (Qualified)	
15	耐油性 (Oil Resistance)	h	48	符合 (conform)	合格 (Qualified)	
16	耐紫外线 (UV Resistance)	h	48	符合 (conform)	合格 (Qualified)	
17	耐机械力 (Mechanical Force Resistance)	h	48	符合 (conform)	合格 (Qualified)	
18	耐老化性 (Aging Resistance)	h	48	符合 (conform)	合格 (Qualified)	
19	耐生物降解性 (Biodegradability Resistance)	h	48	符合 (conform)	合格 (Qualified)	
20	耐微生物 (Microorganism Resistance)	h	48	符合 (conform)	合格 (Qualified)	
21	耐霉菌 (Mould Resistance)	h	48	符合 (conform)	合格 (Qualified)	
22	耐细菌 (Bacteria Resistance)	h	48	符合 (conform)	合格 (Qualified)	
23	耐真菌 (Fungi Resistance)	h	48	符合 (conform)	合格 (Qualified)	
24	耐病毒 (Virus Resistance)	h	48	符合 (conform)	合格 (Qualified)	
25	耐寄生虫 (Parasite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
26	耐昆虫 (Insect Resistance)	h	48	符合 (conform)	合格 (Qualified)	
27	耐动物 (Animal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
28	耐植物 (Plant Resistance)	h	48	符合 (conform)	合格 (Qualified)	
29	耐矿物 (Mineral Resistance)	h	48	符合 (conform)	合格 (Qualified)	
30	耐金属 (Metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
31	耐非金属 (Non-metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
32	耐复合材料 (Composite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
33	耐合金 (Alloy Resistance)	h	48	符合 (conform)	合格 (Qualified)	
34	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
35	耐塑料 (Plastic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
36	耐橡胶 (Rubber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
37	耐纤维 (Fiber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
38	耐皮革 (Leather Resistance)	h	48	符合 (conform)	合格 (Qualified)	
39	耐木材 (Wood Resistance)	h	48	符合 (conform)	合格 (Qualified)	
40	耐石材 (Stone Resistance)	h	48	符合 (conform)	合格 (Qualified)	
41	耐玻璃 (Glass Resistance)	h	48	符合 (conform)	合格 (Qualified)	
42	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
43	耐金属 (Metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
44	耐非金属 (Non-metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
45	耐复合材料 (Composite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
46	耐合金 (Alloy Resistance)	h	48	符合 (conform)	合格 (Qualified)	
47	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
48	耐塑料 (Plastic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
49	耐橡胶 (Rubber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
50	耐纤维 (Fiber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
51	耐皮革 (Leather Resistance)	h	48	符合 (conform)	合格 (Qualified)	
52	耐木材 (Wood Resistance)	h	48	符合 (conform)	合格 (Qualified)	
53	耐石材 (Stone Resistance)	h	48	符合 (conform)	合格 (Qualified)	
54	耐玻璃 (Glass Resistance)	h	48	符合 (conform)	合格 (Qualified)	
55	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
56	耐金属 (Metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
57	耐非金属 (Non-metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
58	耐复合材料 (Composite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
59	耐合金 (Alloy Resistance)	h	48	符合 (conform)	合格 (Qualified)	
60	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
61	耐塑料 (Plastic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
62	耐橡胶 (Rubber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
63	耐纤维 (Fiber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
64	耐皮革 (Leather Resistance)	h	48	符合 (conform)	合格 (Qualified)	
65	耐木材 (Wood Resistance)	h	48	符合 (conform)	合格 (Qualified)	
66	耐石材 (Stone Resistance)	h	48	符合 (conform)	合格 (Qualified)	
67	耐玻璃 (Glass Resistance)	h	48	符合 (conform)	合格 (Qualified)	
68	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
69	耐金属 (Metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
70	耐非金属 (Non-metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
71	耐复合材料 (Composite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
72	耐合金 (Alloy Resistance)	h	48	符合 (conform)	合格 (Qualified)	
73	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
74	耐塑料 (Plastic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
75	耐橡胶 (Rubber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
76	耐纤维 (Fiber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
77	耐皮革 (Leather Resistance)	h	48	符合 (conform)	合格 (Qualified)	
78	耐木材 (Wood Resistance)	h	48	符合 (conform)	合格 (Qualified)	
79	耐石材 (Stone Resistance)	h	48	符合 (conform)	合格 (Qualified)	
80	耐玻璃 (Glass Resistance)	h	48	符合 (conform)	合格 (Qualified)	
81	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
82	耐金属 (Metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
83	耐非金属 (Non-metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
84	耐复合材料 (Composite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
85	耐合金 (Alloy Resistance)	h	48	符合 (conform)	合格 (Qualified)	
86	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
87	耐塑料 (Plastic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
88	耐橡胶 (Rubber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
89	耐纤维 (Fiber Resistance)	h	48	符合 (conform)	合格 (Qualified)	
90	耐皮革 (Leather Resistance)	h	48	符合 (conform)	合格 (Qualified)	
91	耐木材 (Wood Resistance)	h	48	符合 (conform)	合格 (Qualified)	
92	耐石材 (Stone Resistance)	h	48	符合 (conform)	合格 (Qualified)	
93	耐玻璃 (Glass Resistance)	h	48	符合 (conform)	合格 (Qualified)	
94	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
95	耐金属 (Metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
96	耐非金属 (Non-metal Resistance)	h	48	符合 (conform)	合格 (Qualified)	
97	耐复合材料 (Composite Resistance)	h	48	符合 (conform)	合格 (Qualified)	
98	耐合金 (Alloy Resistance)	h	48	符合 (conform)	合格 (Qualified)	
99	耐陶瓷 (Ceramic Resistance)	h	48	符合 (conform)	合格 (Qualified)	
100	耐塑料 (Plastic Resistance)	h	48	符合 (conform)	合格 (Qualified)	

国家发制品及护发用品质量监督检验中心						发 售 凭 证	
Inspection Report						№ 20110206	
产品名称(Sample): 人发发套 (Human Hair Weaving)						规格型号(Model): 14"(14 inch)	
序号 Serial No.	检验项目 Items	计量单位 Unit	标准要求 Requirements	检测结果 Results	判定结论 Conclusions	备注 Remarks	
1	人发含量 (Human Hair Content)	%	≥98	100	合格 (Qualified)	/	
2	甲醛 (Formaldehyde)	mg/kg	≤15	5	合格 (Qualified)	/	
3	异味 (Off-flavor)	/	无异味 (None)	符合 (conform)	合格 (Qualified)	/	
4	pH值	/	4.0~9.0	8.0	合格	/	
5	可溶性重金属含量 (Soluble Heavy Metal Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
6	总砷含量 (Total Arsenic Content)	mg/kg	≤10	符合 (conform)	合格 (Qualified)	/	
7	总汞含量 (Total Mercury Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
8	总铅含量 (Total Lead Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
9	总铬含量 (Total Chromium Content)	mg/kg	≤10	符合 (conform)	合格 (Qualified)	/	
10	总镉含量 (Total Cadmium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
11	总铜含量 (Total Copper Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
12	总锌含量 (Total Zinc Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
13	总镍含量 (Total Nickel Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
14	总钴含量 (Total Cobalt Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
15	总锰含量 (Total Manganese Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
16	总铁含量 (Total Iron Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
17	总铝含量 (Total Aluminum Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
18	总硅含量 (Total Silicon Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
19	总磷含量 (Total Phosphorus Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
20	总硫含量 (Total Sulfur Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
21	总氮含量 (Total Nitrogen Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
22	总氯含量 (Total Chlorine Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
23	总氟含量 (Total Fluorine Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
24	总溴含量 (Total Bromine Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
25	总碘含量 (Total Iodine Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
26	总钪含量 (Total Scandium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
27	总钛含量 (Total Titanium Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
28	总钒含量 (Total Vanadium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
29	总铬含量 (Total Chromium Content)	mg/kg	≤10	符合 (conform)	合格 (Qualified)	/	
30	总锰含量 (Total Manganese Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
31	总铁含量 (Total Iron Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
32	总铜含量 (Total Copper Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
33	总锌含量 (Total Zinc Content)	mg/kg	≤100	符合 (conform)	合格 (Qualified)	/	
34	总镍含量 (Total Nickel Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
35	总钴含量 (Total Cobalt Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
36	总钼含量 (Total Molybdenum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
37	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
38	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
39	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
40	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
41	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
42	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
43	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
44	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
45	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
46	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
47	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
48	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
49	总铈含量 (Total Cerium Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	
50	总镧含量 (Total Lanthanum Content)	mg/kg	≤1	符合 (conform)	合格 (Qualified)	/	




Shipping



USA, Canada	3-5 days
UK,IR,West European	3-5 days
East European	3-5 days
Middle East	3-5 days
Australia,New Zealand	3-4 days
Asia country	2-3 days
Africa country	4-7 days
South america	4-7 days

Free Shipping, Order Will Be Posted By DHL Or UPS Usually.
Normally Item Will Arrive Within 3-7 Working Day After Being Posted.



FAQ

Q 1: What's Virgin Hair ?



Raw Material



Virgin Hair



No Dyed



No Acid Bath

Q 2: Why Are My Hair Extensions Getting Tangle ?

A: Your Hair Extensions can tangle due to dryness, oil & dirt build-up, salt water, chlorine and not combing (wide tooth comb) out your hair daily
Make sure to wash & condition your hair at least once a week, twice a week is better. Use hydrating drops or consult your stylist for more help.

Q 3: Why Are My Hair Extensions Getting Shedding ?

A: Firstly, PLS running the with your finers or Wide-toothed gently, to prevent the shedding. For curly hair, pls don't use the comb.
Secondly, After wash pls nurse the hair with some hair oil, then the hair will be silk and soft.



After Washing The Hair, please Nurse With Some Hair Oil, then The Hair Will Be Silky And Soft.



Choose The Wide-toothed Comb; Comb It Gently, so As To Prevent Shedding.



Too Much Heat May Damage The Hair.

Q 4: Could The Hair Be Dyed And Iron-flat ?

A: It is virgin hair, so could be dyed and iron-flat, iron flat pls don't exceed 150C, or the hair will be destroyed. Also the hair will come back to its natural wavy after you wash it or iron-flat.

Q 5: How Many Bundles For A Full Head ?

A: Here are the picture in the length between difference Texture.

Straight

Wavy

Curly



Length (Inch)	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"
	20cm	35cm	40cm	45cm	50cm	55cm	60cm	70cm	75cm	80cm
One Standard Head (Bundle)	2	2	3	3	3	3	4	4	4	4